

Kunde:  
Aliaxis Nederland B.V.

Qplus Zulassungs Nr.:  
**11015**

Dauer der Zulassung:  
2025 2029

Produktenorm:  
EN 12666-1  
R 592012

Datum:  
14.03.25

Systemteil	Dimension	SDR / SN	Farbe / RAL Nr.	Anwendungsbereich	Herkunft	Bemerkung
Pipe	110	26 / 4	Black	UD	Switzerland	QP - 11015
Pipe	125	26 / 4	Black	UD	Switzerland	QP - 11015
Pipe	160	26 / 4	Black	UD	Switzerland	QP - 11015
Pipe	200	33 / 2	Black	UD	Switzerland	QP - 11015
Pipe	250	33 / 2	Black	UD	Switzerland	QP - 11015
Pipe	315	33 / 2	Black	UD	Switzerland	QP - 11015
ReducerEccentric	125-110	26 / 4	Black	UD	Netherlands	QP - 11015
ReducerEccentric	160-110	26 / 4	Black	UD	Netherlands	QP - 11015
ReducerEccentric	160-125	26 / 4	Black	UD	Netherlands	QP - 11015
ReducerEccentriclong	200-110	33 / 2	Black	UD	Netherlands	QP - 11015
ReducerEccentriclong	200-125	33 / 2	Black	UD	Netherlands	QP - 11015
ReducerEccentriclong	200-160	33 / 2	Black	UD	Netherlands	QP - 11015
ReducerEccentriclong	250-200	33 / 2	Black	UD	Netherlands	QP - 11015
ReducerEccentriclong	315-200	33 / 2	Black	UD	Netherlands	QP - 11015
ReducerEccentriclong	315-250	33 / 2	Black	UD	Netherlands	QP - 11015
Reducerconcentric	125-110	26 / 4	Black	UD	Netherlands	QP - 11015
Reducerconcentric	160-110	26 / 4	Black	UD	Netherlands	QP - 11015
Reducerconcentric	160-125	26 / 4	Black	UD	Netherlands	QP - 11015
Reducerconcentric	200-160	33 / 2	Black	UD	Netherlands	QP - 11015
Reducerconcentric	250-160	33 / 2	Black	UD	Netherlands	QP - 11015
Reducerconcentric	250-200	33 / 2	Black	UD	Netherlands	QP - 11015
Reducerconcentric	315-200	33 / 2	Black	UD	Netherlands	QP - 11015
Reducerconcentric	315-250	33 / 2	Black	UD	Netherlands	QP - 11015
Bend90°	160	33 / 2	Black	UD	Netherlands	QP - 11015
Bend90°	200	33 / 2	Black	UD	Netherlands	QP - 11015
Bend90°	250	33 / 2	Black	UD	Netherlands	QP - 11015
Bend90°	315	33 / 2	Black	UD	Netherlands	QP - 11015
Bend90°withlongside	110	26 / 4	Black	UD	Netherlands	QP - 11015
Bend90°withlongside	110	26 / 4	Black	UD	Netherlands	QP - 11015
Bend90°withlongside	125	26 / 4	Black	UD	Netherlands	QP - 11015
Bend15°	110	26 / 4	Black	UD	Netherlands	QP - 11015
Bend15°	125	26 / 4	Black	UD	Netherlands	QP - 11015
Bend15°	160	26 / 4	Black	UD	Netherlands	QP - 11015
Bend15°	200	33 / 2	Black	UD	Netherlands	QP - 11015
Bend15°	250	33 / 2	Black	UD	Netherlands	QP - 11015
Bend15°	315	33 / 2	Black	UD	Netherlands	QP - 11015
Bend30°	110	26 / 4	Black	UD	Netherlands	QP - 11015
Bend30°	125	26 / 4	Black	UD	Netherlands	QP - 11015
Bend30°	160	26 / 4	Black	UD	Netherlands	QP - 11015
Bend30°	200	33 / 2	Black	UD	Netherlands	QP - 11015
Bend30°	250	33 / 2	Black	UD	Netherlands	QP - 11015
Bend30°	315	33 / 2	Black	UD	Netherlands	QP - 11015



Cleanoutbranch45°	110-110	26 / 4	Black	UD	Netherlands	QP - 11015
Cleanoutbranch45°	125-110	26 / 4	Black	UD	Netherlands	QP - 11015
Cleanoutbranch45°	160-110	26 / 4	Black	UD	Netherlands	QP - 11015
Cleanoutbranch90°	110-110	26 / 4	Black	UD	Netherlands	QP - 11015
Cleanoutbranch90°	125-110	26 / 4	Black	UD	Netherlands	QP - 11015
Cleanoutbranch90°	160-110	26 / 4	Black	UD	Netherlands	QP - 11015
Cleanoutbranch90°	200-110	33 / 2	Black	UD	Netherlands	QP - 11015
Cleanoutbranch90°	250-110	33 / 2	Black	UD	Netherlands	QP - 11015
Cleanoutbranch90°	315-110	33 / 2	Black	UD	Netherlands	QP - 11015
Branchsweptentry88,5°	110-110	26 / 4	Black	UD	Netherlands	QP - 11015
Endcap	110	26 / 4	Black	UD	Netherlands	QP - 11015
Endcap	125	26 / 4	Black	UD	Netherlands	QP - 11015
Endcap	160	26 / 4	Black	UD	Netherlands	QP - 11015
Endcap	200	33 / 2	Black	UD	Netherlands	QP - 11015
Endcap	250	33 / 2	Black	UD	Netherlands	QP - 11015
Endcap	315	33 / 2	Black	UD	Netherlands	QP - 11015
ElectrofusioncouplerAkafusion	110	26 / 4	Black	UD	Netherlands	QP - 11015
ElectrofusioncouplerAkafusion	125	26 / 4	Black	UD	Netherlands	QP - 11015
ElectrofusioncouplerAkafusion	160	26 / 4	Black	UD	Netherlands	QP - 11015
ElectrofusioncouplerAkafusion	200	33 / 2	Black	UD	Netherlands	QP - 11015
ElectrofusioncouplerAkafusion	250	33 / 2	Black	UD	Netherlands	QP - 11015
ElectrofusioncouplerAkafusion	315	33 / 2	Black	UD	Netherlands	QP - 11015
Snapsocket	110	26 / 4	Black	UD	Netherlands	QP - 11015
Snapsocket	125	26 / 4	Black	UD	Netherlands	QP - 11015
Snapsocket	160	26 / 4	Black	UD	Netherlands	QP - 11015
Snapsocket	200	33 / 2	Black	UD	Netherlands	QP - 11015
Expansionsocketwithanchord	110	26 / 4	Black	UD	Netherlands	QP - 11015
Expansionsocketwithanchord	125	26 / 4	Black	UD	Netherlands	QP - 11015
Expansionsocketwithanchord	160	26 / 4	Black	UD	Netherlands	QP - 11015
Expansionsocketwithanchord	200	33 / 2	Black	UD	Netherlands	QP - 11015
Expansionsocketwithanchord	250	33 / 2	Black	UD	Netherlands	QP - 11015
Expansionsocketwithanchord	315	33 / 2	Black	UD	Netherlands	QP - 11015
Snapsocketshort	110	26 / 4	Black	UD	Netherlands	QP - 11015
Plug-insocket	110	26 / 4	Black	UD	Netherlands	QP - 11015
Plug-insocket	125	26 / 4	Black	UD	Netherlands	QP - 11015
Plug-insocket	160	26 / 4	Black	UD	Netherlands	QP - 11015
Flangebushingforscrewcouple	110	26 / 4	Black	UD	Netherlands	QP - 11015
Screwcouplershort	110	26 / 4	Black	UD	Netherlands	QP - 11015
Inspectionscrewlocklong	110	26 / 4	Black	UD	Netherlands	QP - 11015
Inspectionscrewlockshort	110	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	110-125	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	110-135	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	110-150	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	125-155	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	125-170	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	160-180	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	160-195	26 / 4	Black	UD	Netherlands	QP - 11015
Contractionsocket	200-225	33 / 2	Black	UD	Netherlands	QP - 11015
Contractionsocket	250-280	33 / 2	Black	UD	Netherlands	QP - 11015
Stubflange	110	26 / 4	Black	UD	Netherlands	QP - 11015
Stubflange	125	26 / 4	Black	UD	Netherlands	QP - 11015
Stubflange	160	26 / 4	Black	UD	Netherlands	QP - 11015
Stubflange	200	33 / 2	Black	UD	Netherlands	QP - 11015

Stubflange	250	33 / 2	Black	UD	Netherlands	QP - 11015
Stubflange	315	33 / 2	Black	UD	Netherlands	QP - 11015
Double-flangebushing	110	26 / 4	Black	UD	Netherlands	QP - 11015
Double-flangebushing	125	26 / 4	Black	UD	Netherlands	QP - 11015
Double-flangebushing	160	26 / 4	Black	UD	Netherlands	QP - 11015
Double-flangebushing	200	33 / 2	Black	UD	Netherlands	QP - 11015
Double-flangebushing	250	33 / 2	Black	UD	Netherlands	QP - 11015
Double-flangebushing	315	33 / 2	Black	UD	Netherlands	QP - 11015
Wall-lavatorybend90°	110-110	26 / 4	Black	UD	Netherlands	QP - 11015
Wall-lavatorysocket	110-110	26 / 4	Black	UD	Netherlands	QP - 11015
Floor-lavatorysocket	110	26 / 4	Black	UD	Netherlands	QP - 11015
Floor-lavatorybend90°	110	26 / 4	Black	UD	Netherlands	QP - 11015